




POWERFLOW SYSTEM OVERVIEW

101-10001 PowerFlow Blowing Machine for single cables 8-25 mm



BASIC Configured with Chains.



Configured machine with both counter inlet and outlet with Junction Block. Ready to operate.

POWERFLOW ACCESSORIES

Inlet guides (fits all cable sizes):

103-10080 Basic inlet guide.



103-10450 Inlet guide with mechanical meter counter.



103-130917001 Meter counter FLEX-TRONIC with electronic meter- and speedcounter.



Junction Block (outlet):

103-10478 Bracket to fix the Junction Block to the machine.



103-130424001 Big Flow Blowing Junction Block FLEX.



Nylon seals available with drillingsize 12-27 mm (for cable 8-26 mm).




Junction Block (outlet) - continuation:

Big Flow Blowing Junction Block FLEX
Open.




Big Flow Blowing Junction Block FLEX.
Mounted with nylon sealings, gaskets, duct collector
and clamp.



Duct collector and clamp (set including sealing)
are available for ducts 18, 20, 25, 32, 40, 42 and 50 mm OD.



Gaskets are available in sizes from 7 mm to 26 mm ID.
Blanks to make special dimensions are also available.



103-20610
Complete box with sealings 8-23 mm. (5 pcs of each size).
Room for nylon seals as illustrated.



Chains

103-20069 Powerflow chain for single cable 8-25 mm (Standard).

103-20308 Powerflow chain for single cables from 5,5 mm.

